

# Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

# GENERAL INDEX.

\*\* The more important classified entries will be found under the following heads: Diseases, Floras, Journals, Personals, Reviews.

\*\*\* Names of synonyms are printed in *Italics*; names of new species in **bold-face**; † signifies death.

### Α

A. A. S. Rochester meeting, 129, 224; botanical papers, 276; Botanical club, 285, 291, 299, 303. Abronia Carltoni, 349; Suksdorfii, 348. Abutilon Avicennae, 38. Academy of Science, Iowa, 63; Nebraska, 168; Ohio, 168; Wisconsin, 229. Acacia cornigera, 123 Acer saccharinum, 182 Aciachne pulvinata, 160. Acerates, angustifolia, 125; auriculata, 124, Acrasieæ, relation to Myxobacteriaceæ, 392. Actæa alba, 1; spicata, var. rubra, 1. Adaptation to environment, 282. Adelia, 351. Æsculus, 182, 184. Agave Engelmanni, 226. Agriculture, Department of, 267, 426. Ailanthus glandulosus, 182, 183, 185. Aira flexuosa, 54. Aleurone, permanent mounts, 30. Algæ, fresh water, 28; phæosporic, 134. Alnus viridis, 49, 53. Althæa rosea, 35. Amarantus blitoides, 247; crassipes, 254. Amelauchiers, N. Am., 293.
Ampelopsis quinquefolia, 19, 181.
Anderson, F. W., sketch with portrait, 78.
Anemone blauda, 123; fulgens, 123; narcissiflora, 123; nemorosa, 123. Anthoceros Hawaiensis, 219. Anthoxanthum, morphology of flowers, 388. Anthracuose, secondary spores, 284. Apical area in seed-plants, 15.

Apical growth in stems of Tsuga and Pinus, 141. Arborescent flora, revised nomenclature, 283. Archegonium in Tsuga and Pinus 141. A1 chispermæ, apical area, 16. Arctostaphylos alpina, 52. Arenaria Grænlandica, 50, 51. Arisaema triphyllum, 1,2, development of em-Arisaema triphyllum,1,2,development of embryo-sac, 258.
Arnica mollis, 49, 52.
Arnold Arboretum, lectures at, 200.
Aroideae, revisioea of, 242.
Asarum, 123; Canadense, 1.
Asclepiadaceæ, as insect traps, 292.
Asclepiadaceæ, as insect traps, 292.
Asclepias auriculata, 125; elata, 192; glaucescens, 192; stenophylla, 124; stenophylla, 160; Sullivantii, 193.
Asimina triloba 182, 183, 186. Asimina triloba, 182, 183, 186. Aspergillus crocatus, 400.
Asplenium furcatum, 56; Pringlei, 56.
Aster, development of flower, etc., 353, 406; graminifolius, 51. Astragalus, investigation of, 29. Astrocenters, 87. Auxanometer, self-registering, 105.

### В

Bacillus, division of nuclear structure, 100; tuberculosus, 99. Bacteria, 24; macaroni for cultures, 134; nonparasitic, 280; of the deep sea and its floor, Bacterium of Phaseolus, 284. Bartram's oak, 125. Bazzania, 219. Bazzania, 219, Betula glandulosa, 49, 50, 53; papyracea, var. minor, 48, 53. Biographical sketch, F. W. Anderson, 78; C. M. Gottsche, 417; Sereno Watson, 137. Biological instruction, 260, 301. Biologists, who are? 336. Blossoming, relation of fall to spring, 1, 233. Boerhaavia anisophylla, var. paniculata, 348. Botanical authority, 164; club at Berkeley, 135; dictionary, 337; laboratories of Ills., 428; sub-section of British Association, 304. Botanists, exchange list, 100; live, 383. Botany, at Chicago University, 94; Field, Forest and Garden, 340. Botrychium Virginianum, apical growth of stem and development of sporangium, 214. Breathing process in plants, intensity of, 231. Bremia Lactucae, 113. Buds, protection in tropics, 54; winter, 267. Burnt spots on leaves, 89. Burrillia pustulata, 232. Cacalia suaveoleus, 250.

Cæoma nitens, 114,
Calamagrostis Canadensis, 54.
Callirrhoe involucrata, 37, triangulata, 36.
Callypso, 133.
Campanula rotundifolia, 52.
Cardamine bellidifolia, 51; Californica, 135.
Carex atrata, var. discolor, 152; æstivalıs, 57; aquatilisxstricta, 153; bella, 152; canescens, var. dubia, 150; var. vitilis, 53; castanea, 57; cephaloidea, 149; chordorhiza, 149; Douglasii, 150; echinata, 153; flava, var. Œderi, 149; Grayii, 58; herbariorum, 150; hirta, 57; hystricina, var. Dudleyi, 149; laxiflora, var. divaricata, 149; lenticularis, 53; marcida, 150; maxima, 57; Montanensis, 152; Noraskensis, 150; Novæ-Angliæ, 149; obesa, var. minor, 148; pallescens, 57, 149; pilosa, 57; Pringlei, 151; pulla, 53; rigida, var. Bigelovii, 53; riparia, 57; scirpoidea, 53, 149; Inceps, 57; trichocarpa, var. Deweyi, 149; Tuckermani, 148; varia, var. australis, 153; virescens, 57; vulgaris, 57; xerantica, 151.
Carices, anatomy of, 56.

Carnivorous plants, new category of, 381. Carphoxera ptelearia, the new herbarium pest, 283. Carringtonia, 220. Carya, 182, 183. Castanea, 181, 183. Cassiope hypnoides, 52. Casuarina suberosa, ovular structure, 185. Catalpa speciosa, 181, 183.
Cathartocarpus, 414.
Caulophyllum thalictroides, 1.
Ceanothus, 29.
Cecropia pelitar, 122. Cecropia peltata, 122. Celastrus scandens, 181. Celloidin imbedding, 427. Celtis occidentalis, 182. Cenchrus tribuloides, spines of, 126. Centaurea alpina, pollination of, 21. Cercospora Apii, 113. Cereus, hedge of, 414. Characeae, Australasian, 134. Cheilanthes lendigera, 56; Szovitsii, 56. Chimaphila maculata, 1. Chinch-bug, disease of, 231. Chiogenes hispidula, 52. Chondromyces, 399; aurantiacus, 401; serpens, 403; crocatus, 400; lichenicolus, 402. 1 Cinna pendula, 53. Circæa Lutetiana, 273. Cirsium muticum, 52, Claytonia Virginica, 174, 176. Cleistogamy of Polygonum, 91; significance of, ,284. Clematis verticillaris, 51. Climate and plants, 63. Climbers in Hawaiian islands, 415. Clintonia borealis, 2; pollination of, 21. Colchicum autumnale, 3.
Colesporium senecionis, 147.
Collenchyma, physiology of, 428.
Congress, international, 60, 61, 128, 168, 425; at Genoa, 341, 426; delegate to, 288. Conoscyphus, 220. Corallorhiza multiflora, 2. Corn, crossing varieties, 134. Cornuella lemnae, 232. nus, 185; florida, 182, 183, 186, 187, 188; paniculata, 182, 183, 185, 188. Cornus, 185; florida, 182, Corylus, 183. Coville, on Panamint Indians' food, 426. Cratægus, notes on certain species, 295; Crus-Galli, 185. Cribraria, 204; argillacea, 205. Crocus, 240. Cronisia, 220. Cross-fertilization, 420. Cryptomitrium tenerum, 58. Culture tubes of agar agar, automatic device for rolling, 154. Cybistax, 419. Cyclamen, 239. Cycloloma platyphyllum, 248. Cylindrocladium, 191; scoparium, 191. Cypripedium parviflorum, 1, 2. Cystobacter, 399

## $\mathbf{D}$

Daucus Carota, 328.
Dawsonia superba, 120.
Desmodium, 166; Illinoense, 249.
Dianthera Americana, 66.
Diapensia Lapponica, 49.
Dichodontium olympleum, 296.
Dicotyledons, apical area in, 16.
Dicrana, orthocarpous, 230.

Diospyros Virginiana, 181, 183, 184, 186, 187.
Directive spheres, 87.
Diseases, chinch-bug, 231; experiment station in Florida, 428; fungous, 101; grapes, 63; Phaseolus, 284; potatoes, 387; sorghum, 229; tomatoes, 427.
Dissemination, peculiar case of, 321.
Doassansia, 232.
Doullot, H., †, 426.
Duvalia tenera, 58.

### E

Electricity, effects on growth, 158. Electro-horticulture, 388. Eleocharis acicularis, 252; capitata, 251; intermedia, 252; olivacea, 251. Elymus, 221. Embryo-sac of Aster and Solidago, development of, 353, 406; of Arisaema triphyllum, 256; homologies of, 104. Empetrum nigrum, 50, 51, 53. Encalypta lacera, 296. Endocarpon miniatum, 418. Entosthodon Bolanderi, systematic position of, 380. Epigæa repens, 1, 250, 294. Epilobium alpinum, 51. Eragrostis major, 194. Erigenia bulbosa, 176. Eriogonum Pringlei, 351; Texanum, 350. Erysiphe Martii, 114. Erythronium albidum, 69, 176, 326; Americanum, 326; mesochoreum, 100, 326. Espeletia, 159. Espeicia, 139. Euonymus atropurpureus, 181, 182, 185. Euphorbia Nealleyi, 351; Vaseyi, 351. Exoascus deformans, 115; Pruni, 115. Expediency, plea of, 252. Evolution, a study in 279; in methods of pollination, 72.

#### F

Fagus ferruginea, 183, 184.
Fall flowering plants, 1, 235.
Fecundation, plants and animals, 229.
Ferment of pollen, 101.
Ferns, of Hawanan islands, 416; near Rochester, 63; variation of native, 283; vitality of, 55.
Fertilization of pear flowers, 281.
Fir, structure and quality of wood, 229.
Floras, Africa, 63; Arizona, 163; Chicago and vicinity, 246; Dakota group, 331; Death Valley, 278; France, 236; Hawaiian islands, 411; hepatic (boreal and sub-boreal regions), 395; Italy, 234; Liberia, 292; Sierra Nevada, 283; Washington (D. C.) 227.
Flowers, development of in Asterand Solidago, 353, 406; and insects, 66, 173, 269, 282, 420.
Fontinalis, synoptical table of species, 31.
Fossil flora of N. America, 332.
Fragaria Virginiana, 2.
Fraxinus, 181, 182, 183.
Freycinetia, 416.
Frifillaria linearis, 352.
Fruits of Hawaiian islands, 414.
Fungi, common to wild and cultivated plants, 113; handbook of Australian, 200; morphology of, 101.

Gases in massive organs 156. Gaura biennis, 273, 421; parviflora, 421. Gaylussacia resinosa, 1. Germination, and fungicides, 280; to facilitate, 278; studies upon, 122. Gleditschia triacanthos, 184, 191. Gomphrena Nealleyi, 349; Pringlei, 349. Gnaphalium supinum, 52. Gnapnanum supinum, 52.
Godmannia, 419.
Goodyera pubescens, 2.
Gottsche, C. M., † and biography, 417.
Grape, self-pollination, 282.
Grasses, anatomy of, 121, 358; depauperate, 194; relative length of sheaths and internodes, 277. Grimmia Hendersoni, 296. Grindelia squarrosa, 426. Gymnocladus Canadensis, 182, 183, 186. Gymnogramme chrysophylla, sections of pro-thallium, 231. Gymnosperms, apical area in, 16. Gymnosporanglum, 117

Н Habenaria, orbiculata, 2; viridis, var. bracteata, 2. Hamamelis Virginiana, 3, 182, 184. 187. Hawaiian islands, flora, 411. Hedera Helix, 3. Hedyotis nitida, 160. Hedyotis minda, 100.
Helianthus, 247.
Hepaticæ, African, 219; American, 29, 218, 309;
Amazon and Andes, 171; Asia, 218, 309;
Australia, 219; Europe, 309; Sandwich
Islands, 219; of boreal and sub-boreal regions, 305; recent systematic work, 218;
descriptions by Stephani, 267.
Hepatica acutiloba. 1; angulosa, 123, triloba, 123, Hepatica acutiloba, 1; angulosa, 123, triloba, 123 Herbarium, Anderson 133; British Museum, 28; Harvard University, 101; Indiana University, 29; Lindberg, 28; University of Minnesota, 100, 166; a new pest of, 99. Heredity of acquired characters, 278. Heterodermeæ, 204. Heuchera Hapemani, 348, 421; hispida, 178. Hibiscus rosa-sinensis, 414. Hierochloa alpına, 54. Hibiscus militaris, 39. Houstonia purpurea, var. calycosa, 275. Hydrangea arborescens, 269. Hyphomycetes, two new genera, 190. Hypoxys erecta, 69.

Imbedding, 427. Insects and flowers, 66, 173, 269, 282, 420. Ipomœa bona-nox, 416; pes-caprae, 415. Isoetes Pringlei, 56. Isopyrum biternatum, 173, 176. Ivy. European, 3.

Jamesonia nivea, 159. Journals: Acta Petropolitani, 387; Agricul-tural Science, 64: American Journal of Science, 28; Annales des Sciences Naturellee, 15; Annales of Botany, 232; Biologisches Centralblatt, 21; Bulletin du Ministere de l'Agriculture, 31; Forstlich-naturwissenschaftliche Zeitschrift, 29, 102; Grevillea, 23; Journal de Botanique, 387; Journal of Botany, 38, 388; Journal of Mycology, 168; Revue Bryologique, 31.

Juglandaceæ, 188. Juglaus, 182, 183, 186. Juneus trifidus, 53. Jungermania hamatifolia, var. echinata, 171. Jurinea mollis, pollination of, 21.

Kalmia angustifolia, 52; glauca, 52. Kataadn, flora of Mt., 46. Kew Gardens, 63, 167.

Labiatæ, of Otto Kuntze, 100; pericarp of, 133. Laboratory, Hopkins' Seaside, 231; Illinois, 428; Wood's Holl, 166. Lantana, 415. Leersia, 358; oryzoides, 339. Leguminosæ of Hawaiian islands, 413. Leguminosæ of Hawaiian islands, 413.
Lejeunea auriculata, 171, 172; Austini, 171, 173; bullata, 172; calcarea, 171; Cardoti, 173, 1742; Caroliniana, 171, 173; catenulata, 171; cicullata, 171; clypeata, 170, 171; cucullata, 171; cyclostipa, 170; echinata, 171; inconspicua, 171; Jooriana, 171; læte-fusca, 172; longiflora, 170; lucus, 171, 172; minutissima, 171; Mohrii, 171; parvula, 172; polyphylla, 170; Ravenelii, 172; serpyllifolia, 171; testudinea, 170; trifaria, 170, 171, 172; ullicina, 171; Underwoodii, 171, 172; Wrightii, 170, 172; xanthocarpa, 171, 172.
Leskea obtusa, 296. Leskea obtusa, 296.

Lespedeza, 276. Leucojum, 241. Liceaceae, 204. Lichens, edible, 418; of Kuntze's Rev. Gen. Pl., 200. Linaria, 29; Reverchoni, 64. Lindbladia, 201; effusa, var. simplex, 202. Lindera Benzoin, 183, 186. Linnaea borealis, 51. Liriodendron Tulipifera, 183, 184. Listera cordata, 53. Lobelia Kalmii, 52. Loiseleuria procumbens, 53. Lotus corniculatus, 229. Lychnis diurna, 27 Lycopodium annotinum, var. pungens, 54; Selago, 54. Lysipomia, 160. Lythrum alatum, 179. Ludwigia alternifolia, 271; polycarpa, 272. Luzula parviflora, 53; spicata, 53.

Maclura aurantiaca, 185. Maize, notes on, 277. Malope trifida, 34. Malvaceæ, seed-coats of, 33. Malva sylvestris, 36. Malvastrum angustum, 37; coccineum, 37. Marchantia, 60; tenera, 58. Martynia proboscidea, 66. Mastigopelma, 220. Medicago sativa, 246. Menispermum Canadense, 182. Metaphyta, suggestions on classification, 108. Metaspermae, embryo-sac of, 161. Metzgeria, 220. Micrococcus fulvus, 404. Mikania scandens, root-system of, 276. Mistleto, a case of symbiosis, 135. Mitella diphylla, 1. Modiola multifida, 38.

Mollugo verticillata, 274, 420.
Moneses uuiflora, 53.
Monilia candida, 9.
Monocotyledons, apical area in, 16.
Mosses, Kansas, 81; new N. Am. species, 296; Nomenclator bryologicus, 267; N. Am., 29; Pennsylvania, 132; stem and leaf, 118.
Movement, 136; effect of mechanical upon lower organisms, 8.
Munich Botanical Institute, 303.
Musa Cavendishii and sapientum, 414.
Mycoderma Humuli, 135; rubrum, 135.
Myxobacteriaceae, 389.
Myxobacteriaceae, 389.
Myxococcus coralloides, 404; rubescens, 403; virescens, 404.
Myxomycetes, relation to Myxobacteriaceæ, 392.

### N

Nabalus Boottii, 52; nanus, 52.
Narcissus, 240.
Nardosmia palmata, 51.
Nasturtium sylvestre, 246.
Negundo aceroides, 182, 183, 185.
Nomenclature, 169, 199, 267, 287, 297, 304, 428.
Nuclear mechanics, 87.
Nyssa multiflora, 182.

#### $\bigcirc$

Oakesia, sessilifolia, pollination of, 21. Œnothera biennis, 421; fruticosa, 272, 421. Oidium albicans, 10. Orange blight, investigation of, 428. Orchis dilatata, 53; spectabilis, 2, 163. Oreodoxa regia, 413. Oscillarieæ, monograph of, 427. Ostrya Virginica, 187. Oxalis rubella, 123; stricta, 427.

#### Ρ

Palms of Hawaiian islands, 413.
Panicum sanguinale, 194.
Paraguay, flora of, 291.
Paramos of Venezuela, vegetation of, 159.
Parmelia molliuscula, 226.
Passiflora caerulea, tendrils of, 205.
Peach yellows, value of wood ashes on, 277.
Perichaena caespitosa, 202.
Peronospora effusa, 113; parasitica, 114.
Personals: Amm, 229; Anderson, 133; Apgar, 300; Arthur, 230; Ascherson, 267, 426; Atkinson, 302; Atwell, 337; Bailey (L. H.), 28, 266; Bailey (W. W.), 29; Barnes, 29, 230; Batalin, 266; Baumann, 30; Bennett, 29; Bessey, 288, 303; Bolley, 100; Britton, 335; Briquet, 100; Burgess, 200; Calkins, 166, 302; Call, 28; Campbell, 228; Cooke, 133, 200; Cook, 29; Coulter (J. M.), 29, 152; Coulter (S.), 228; Coville, 303; Cox, 101; Curtiss, 338; Ebermayer, 30; Endlicher, 133; Evans (A. W.), 228; Evans (W. H.), 166, 337; Dewart, 132; Dietrich, †, 28; Douliot, †, 426; Fairchild, 303; Farlow, 97; Farmer, 386; Fernald, 30; Fisher, 337; Frear, 64; Fry, 100; Gilbert, 95; Goebel, 303; Goodale, 97, 102, 228; Gottsche, †, 417; Haake, 386; Halsted, 136; Hansgirg, 426; Hartig, 30; Heller, 167; Hitchcock, 28;

Holm, 227, 266; Humphrey, 101, 338, 386; Kellermann, 100; Kelsey, 386; Knerr, 100; Krasser, 30; Kunth, 30; Lagerheim, 135; Leiberg, 30; McBride, 99, 225; McCarthy, 31; MacDougal, 167, 426; Macoun, 230; Massee, 96; Moore, 102; Mueller & Nordstedt, 134; Ortloff, 28; Pammel, 63, 337, 338; Pauly, 30; Porter, 166; Raatz, 231; Robertson, 98; Robinson (B. L.), 303; Rolfs, 28; Russell, 337; Sandberg, 167; Shannon, 230; Seaton, 29, 302; Sheldon, 29; Schottlaender, 230; Schribaux, 31, Seeley, 63; Setchell, 166; Smith (E. F.), 98; Taylor, 99; Ten Eyck, 230; Todaroč †, 200; Trelease, 225; True, 230; Tubeuf, 29; Underwood, 29, 302, 339, 341; Vasey, 302; Von Wettstein, 426; Wager, 100; Ward 64; Williamson, 99; Winslow, 227; Wright, 167; Zahlbruckner, 200. 167; Zahlbruckner, 200. Peziza semitosta, 192. Phenology, 28. Philadelphus grandiflorus, 270. Phryma Leptostachya, 68. Phycomyces nitens, 158. Phyllactis, 160. Phyllodoce taxifolia, 52. Physalis sp., 101. Physiological botany, apparatus needed, 98. Phytolacca decandra, 68. Picro-eosin, 30; -nigrosin, 31. Pinus sylvestris, archegonium and apical growth of stein, 141; development of ovule, 141. Plasmodiophora Brassicæ, 114. Plasmopara viticola, 115. Plectocolea, 220. Pleospora of Tropæolum majus, 284. Plowrightia morbosa, 115. Poa laxa, 54. Podosphaera tridactyla, 116. Poinciana regia, 412. Poinsettia pulcherrima, nectar of, 192. Pollen of Pinus sylvestris, chemical composition, 267. Pollen-tube of Gymnosperms, 18. Pollination, 73, 420; evolution in methods, 40, 72; notes on, 19; of Orchis spectabilis, 163; of Solidago squarrosa, 22. Polycephalum, 399; aurantiacum, 401. Polygala sp., 98. Polygonatum biflorum, 2. Polygonum cleistogamy of, 91; persicarioides, 295; viviparum, 53. Polyotus angustifolius, 125. Polypodium lanceolatum, 56; Plumula, 56; vulgare, var., 291. Polyporus applanatus, 381.
Polytrichum juniperinum, 119.
Pond-lilies, pink and yellow, 229.
Popular names of American plants, 363. Potatoes, method of preserving, 31; production of, 230. Primavera, 419. Prizes, Am. Micr. Soc., 340. Prosopis juliflora, 413. Prunus sp., cultivated, 264; fungi of, 115. Psamma, 220, 221. Psammophilous flora of Denmark, 220. Ptelea trifoliata, 181, 183, 187. Pterocarya, 182; Caucasica, 186. Puccinia coronata, 136; graminis, 136; heterogena, 147; Pruni, 115.
Pulsatilla pratensis, 123; vulgaris, 123.
Pyrola elliptica, 1; secunda, 1.

Pyrus coronaria, 60; Ioensis, 60.

Rumex, 26.

Quercus, 183, 387; imbricaria, 126, 251; var. heterophylla, 126; heterophylla, 1, 126; Muhlenbergii, 250.

# R

Ranunculaceae, study of roots, 281. Ranunculus repens, relation to other species, 276. Ravenala Madagascariensis, 414.

Ravenelia cassizcola, germination of teleutospores, 144.

Researches, anatomical and physiological, 15, 85, 118, 157; systematic and distributional, 218.

tional, 218.

Respiration, intermolecular, 229.

Reviews: Apgar: Trees of the N. U. S., 300;

Arnell: Liverworts of N. Norway, 266;

Bailley: Bull. 37 of Cornell Exp. Sta., 101,

Bull. 38, 264; Beal & Wheeler: Michigan

Flora, 300; Bessey: Elementary botanical

exercises, 264, Bull. Agric. Exp. Sta., 24;

Britton: Contrib. Columb. Coll., 132, Scirpus and Rhynchospora of N. Am., 335;

Campbell: Development of prothallium

and embryo-sac of Marsilia vestita, 228;

Cardot: Monograph of Fontinalaceæ, Cardot: Monograph of Fontinalaceæ, 262; Coulter (S.): Forest trees of Indiana, 228; Coville: Report of the Death Valley expedition, 199; Craig: Weeds of Oregon, 264; Crozier: Hort. Soc. of Mich. for 1891, 265; Ellis & Everhart: Pyrenomycetous fungi, 196; Evans: Two papers on Hepaticæ, 228; Frænkel: Text-book of bacteriology, 195; Fernald: Portland Catalogue, 228; Green: Flora Franciscana, 98, 167, Pittonia, 299; Hart: Rept. Roy. Bot. Gardens at Trinidad, 199; Hough: Elements of Forestry, 130, Thin wood-sections, 130; Knowlton: How to preserve plants, 25; Kuntze: Revisio Generum Plantarum, 62, 95; Lemmon: Hand-book of West Amer. 228; Coville: Report of the Death Valley Kuntze: Revisio Generum Plantarum, 62, 95; Lenmon: Hand-book of West Anner. cone-bearers, 266; Ludwig: Lower cryptogams, 299; McBride: Myxomycetes of E. Iowa, 225; MacMillan: Minnesota Catalogue, 334, Methods of botanical instruction, 198; Macoun: Canadian noses, 384; Massee: Plant world, 96; Merriam: Plants of Pribilof Islands, 266; Newell: Outline Lessons in botany, 197; Pammel: Pollination of flowers, 425; Peck. Report of the N. Y. Botanist, 23; Univ. Report of the N. Y. Botanist, 23; Univ. of Pennsylvania: Contributions from Bot. of Pennsylvania: Contributions from Bot. Lab'y, 424; Pierce: California vine-disease, 425; Robinson: Trees of Salem, 98; Russell: Untersuchungen uebet in Golf von Neapel lebende Bacterien, 24; Saccardo: Sylloge fungorum, 331; Scribner: Grasses of Tenn., 265; Smith: Peach yellows and rosette, 98; Snow: 1st Rept. Univ. of Kan., 221: Tharter: N. Am. Laboulbenjaces. rosette, 98; Snow: 1st Rept. Univ. of Kan., 231; Thaxter: N. Am. Laboulbeniaceæ, 265; Trelease: Rept. of Mo. Bot. Garden, 225, Yuccas, 335; Vasey: Manual of grasses ses, 129, Grasses of the S. W., 98, Grasses of Pacific Slope, 423; Ward: The Oak, 131; Webber: Appendix to Flora of Neb., 132, 228; Wheelock: The genus Polygala. 98; Winslow: Principles of Agriculture, 227; Contributions from Nat. Herba-227; Contributions from Nat. rium; 385.

Rhododendron Lapponicum, 53. Rhus aromatica, 181, 182, 186, 188; glabra, 181, 183, 187, 188; Toxicodendron, 182, 188. Ribes Cynosbati, 185; gracile, 270.

Riccia, 59. Ricinella Vaseyi, 351. Robinia Pseudacacia, 182, 184. Rœstelia, 117. Root-pressure, apparatus for determining periodicity, 212. Rosa blanda, 250; Carolina, 250; Engelmanni. 250; setigera, 249. Roumeguere, M. Casimir, †, 200. Rubus sp., 101.

Saccharomyces mycoderma, 10. Salix argyrocarpa, 53; Cutleri, 49; herbacea, 49, 53. Salsola Kali, 248. Sambucus Canadensis, 182, 185, 186, 274. Sanguinaria Canadensis, 175. Sassafras officinale, 183, 185. Saxifraga stellaris, var. comosa, 51. Scheuchzeria palustris, 53. Schizomycetes, a new order of, 389. Scirpus cæspitosus, 53. Scleropus amarantoides, 254. Scolopendrium nigripes, 56. Seeds of weeds, 427. Selaginella lepidophylla, 56. Serratula centauroides and lycopifolia, pollination of, 21. Setaria viridis, 194. Shade trees, maltreatment of, 97. Shaw Garden banquet, 200. Sicyos angulata, 30. Sida Napaea, 37. Sisyrinchium **Thurowi,** 352. Smilax hispida, 183. Smilacina racemosa, 2. Solianum rostratum, 247.
Solidago, and Aster, development of embryosac, 353, 466; thyrsoidea, 51; Virga-aurea,
var. alpina, 51.
Soils, influence of elevation and temperature, 221. Sphærella Fragariæ, 114. Sphæria Hibisci, 401. Spaerocreas pubescens, 402. Sphaerotheca Mors-Uvae, 114. Sphagnum, 28; N. Am. species, 426. Spiraea opulifolia, 181, 182, 185. Spring flowering plants, 1, 235. Sternbergia, 241. Stigmatella, 399; aurantiaca, 401; pubescens, 40 2. Stilbum rhytidospora, 401. Stolons of grasses, anatomy of, 121. Strawberry leaf, variations of, 257, 336. Sullivantia **Hapemani**, 421; Ohionis, 421; Oregana, 421. Symbiosis, in mistletoe, 135. Synchitrium Vaccinii, 114. Synthespora, 192; electa, 192.

#### Т

Tabebuia Donnell-Smithii, 412. Tannin, detection of, 103. Taxus baccata, 18. Termites cultivating fungi, 282. Tertiary flora, 166. Thalictrum dioicum, 1. Tilia, 183; Americana, 183, 184. Tomato, blight, treatment of, 133, 427. Tracheids of Conifers, 231. Tradescantia Virginica, 71.
Transpiration, apparatus for registering, 229.
Trees, identification in winter, 180; of Nebraska, 24.
Tricholoma, revision of, 23.
Trichomanes pusillum, 416.
Trifloium hybridum, 246; pratense, 177.
Trillium erythocarpum, 2; spp., pollination of, 2.
Triticum, 221.
Tsuga Cadensis, archegonium and apical growth of the stem, 141.
Tubulina, 204.

### U

Ulmus fulva, 182, 184.
Ulota Americana, 200.
University Extension, 101, 132.
Universities: Brown, 387; Harvard, 167; Indiana, 1, 29, 63; Minnesota, 232, 304; Wisconsin, 167.
Uredineae, new species in Hedwigia, 339; of Ohio, 427.
Uromyces appendiculatus, 113.
Ustilago antherarum, effect of parasitism, 17; violacea, 17.
Uvularia perfoliata, pollination of, 21.

#### V

Vaccinium caespitosum, 49, 51, 52; Pennsylvanicum, 1; var augustifolium, 52; uliginosum, 49, 52; Vitis-Idaea, 49, 51, 52. Verbena hastata, 67; stricta, 67; urticaefolia, 68. Viburnum molle, 188. Vitis sp., with fungi, 115.

#### W

Waldsteinia fragarioides, 1.
Watson, Sereno, sketch and publications, 137.
Weeds, at Columbian Exposition, 136; Californian seeds, 100; seeds, Halsted's, 427.
Weingaertneria, 220.
Wheat, source of rust infection, 100; spikes bearing abnormal spikelets, 277.
Wood, silicified, 28; shrinkage as observed under the microscope, 284.
World's Fair, plans of Botanical Congress, 22.

# X

Xanthoxylum Americana, 184.

### Y

Yeast, ascosporous form of, 92. Yellow pitch pine, 280.

# INDEX TO AUTHORS.

Arthur, J. C., 192. Atkinson, Geo. F., 154. Atwell, C. B., 336.

Barbour, Erwin H., 223. Bailey, L. H., 60, 148. Bailey, W. W., 229. Beal, W. J., 27. Bergen, Fannie D., 363. Berthoud, E. L., 321. Britton, N. L., 252.

Calkins, W. W., 418. Campbell, D. H., 411. Cardot, J., 81, 296. Carter, Alice, 19, 40, 72. Commons, A., 125. Coulter, J. M., 137, 348, 421. Coulter, Stanley, 91.

Dewey, L. H., 199. Duggar, B. M., 144.

Fisher, E. M., 348. Foerste, Aug. F., 1, 180, 233.

Gayle, E. E., 126.

Halsted, B. D., 25, 113. Hargitt, Chas. W., 328. Hasse, E., 99. Hill, E. J., 246. Hitchcock, A. S., 194. Holm, Theo., 55, 56, 58, 89, 121, 122, 123, 159, 220, 358. Holzinger, J. M., 124, 160, 254, 295, 380. Holtzman, C. L., 214.

Kellerman, Mrs. W. A., 257. Kelsey, F. D., 78. Knerr, E. B., 326.

MacDougal, D. T., 205. MacMillan, Conway, 15, 17, 27, 54, 85, 87, 108, 157, 161, 301, 381. Martin, G. W., 353, 406. Meehau, Thomas, 420. Morgan, A. P., 190. Mottier, D. M., 141, 258.

Newell, Jane H., 165.

Penhallow, D. P., 336.

"R," 18.
Reed, Minnie, 330.
Renauld, F., 81, 296.
Rex, George A., 201.
Robertson, Charles, 65, 173, 269.
Rolfs, P. H., 33.
Rose, J. N., 193, 418.
Russell, H. L., 8, 312.

Scribner, F. Lamson, 46. Smith, Erwin F., 62. Stephani, F., 58, 170. Stone, George E., 105, 158. Stone, W. E., 192.

Thaxter, Roland, 389. Thomas, M. B., 212. Toumey, J. W., 162. True, Rodney H., 118, 341.

Underwood, L. M., 218, 305, 341, 417, 425.

Watson, Sereno, 169.

[435]